

In re Patent Application of:
FLICK
Serial No. 10/043,077
Filing Date: JANUARY 9, 2002

In the Claims:

This listing of claims replaces all prior versions and listing of claims in the application.

1. (Currently amended) A vehicle control system for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, and at least one vehicle device connected thereto, the at least one vehicle device comprising a vehicle indicator, the vehicle control system comprising:

at least one uniquely coded transmitter to be carried by a user;

a receiver at the vehicle for receiving signals from said at least one uniquely coded transmitter; and

a controller at the vehicle spaced apart from the at least one vehicle device and cooperating with said receiver and the vehicle data communications bus for

communicating with the at least one vehicle device via the data communications bus,

being switchable to a learning mode and when in the learning mode learning the at least one uniquely coded transmitter to permit control of a vehicle function by the user,

~~causing an indication of whether at least one new uniquely coded transmitter has been learned by causing an indication that the learning mode has been entered, and~~

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

communicating with the vehicle indicator via the vehicle data communications bus to cause the indication of whether at least one new uniquely coded transmitter has been learned.

2. (Canceled).

3. (Previously presented) A vehicle control system according to Claim 1 wherein the vehicle indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

4. (Previously presented) A vehicle control system according to Claim 1 wherein the vehicle further comprises an instrument panel carrying the vehicle indicator.

5. (Original) A vehicle control system according to Claim 1 wherein the at least one vehicle device comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

6. (Original) A vehicle control system according to Claim 1 wherein the at least one vehicle device comprises a vehicle alarm indicator; and wherein said controller communicates with the vehicle alarm indicator via the vehicle data communications bus.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

7. (Original) A vehicle control system according to Claim 1 wherein the at least one vehicle device comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

8. (Original) A vehicle control system according to Claim 7 wherein the controllable vehicle device is associated with starting of a vehicle engine.

9. (Original) A vehicle control system according to Claim 7 wherein the controllable vehicle device is associated with vehicle door locks.

10. (Canceled).

11. (Previously presented) A vehicle control system according to Claim 1 wherein said controller causes an indication when the learning mode has last been entered.

12. (Previously presented) A vehicle control system according to Claim 1 wherein said controller causes an indication for progressively indicating a passage of time since the learning mode has last been entered.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

13. (Previously presented) A vehicle control system according to Claim 1 wherein said controller further causes an indication of a number of learned uniquely coded transmitters.

14. (Previously presented) A vehicle control system according to Claim 1 wherein said controller further causes an indication of a change in a number of learned uniquely coded transmitters.

15. (Previously presented) A vehicle control system according to Claim 1 wherein said controller further causes an indication of a change in a code of at least one learned uniquely coded transmitter.

16. (Original) A vehicle control system according to Claim 1 wherein said at least one uniquely coded transmitter comprises at least one uniquely coded remote transmitter.

17. (Original) A vehicle control system according to Claim 1 wherein said at least one uniquely coded transmitter comprises at least one uniquely coded transponder transmitter.

18. (Previously presented) A vehicle control system for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, and a vehicle indicator connected thereto, the vehicle control system comprising:

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

at least one uniquely coded transmitter to be carried by a user;

a receiver at the vehicle for receiving signals from said at least one uniquely coded transmitter; and

a controller at the vehicle spaced apart from the vehicle indicator and cooperating with said receiver and the vehicle data communications bus for

learning the at least one uniquely coded transmitter to permit control of a vehicle function by the user,

communicating with the vehicle indicator via said data communications bus to cause an indication of whether at least one new uniquely coded transmitter has been learned, and

causing an indication of a number of learned uniquely coded transmitters.

19. (Original) A vehicle control system according to Claim 18 wherein the vehicle indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

20. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises an instrument panel carrying the vehicle indicator.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

21. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

22. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises a vehicle alarm indicator; and wherein said controller communicates with the vehicle alarm indicator via the vehicle data communications bus.

23. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

Claims 24-29. (Canceled).

30. (Previously presented) A vehicle control system for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, and at least one vehicle device connected thereto, the vehicle control system comprising:
a biometric characteristic sensor for sensing a unique biometric characteristic of a user; and
a controller at the vehicle spaced apart from the at least one vehicle device and cooperating with said biometric

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

characteristic sensor and the vehicle data communications bus
for

communicating with the at least one vehicle
device via the data communications bus,

learning the unique biometric characteristic
to permit control of a vehicle function by the user,
and

causing an indication of whether at least
one new unique biometric characteristic has been
learned.

31. (Original) A vehicle control system according to
Claim 30 wherein the at least one vehicle device comprises a
vehicle indicator; and wherein said controller communicates with
the vehicle indicator via the vehicle data communications bus to
cause the indication of whether at least one new unique
biometric characteristic has been learned.

32. (Original) A vehicle control system according to
Claim 31 wherein the vehicle indicator comprises at least one of
a light, a visual display, a vibration transducer, a speech
message generator, and an audible signal generator.

33. (Original) A vehicle control system according to
Claim 31 wherein the vehicle comprises an instrument panel
carrying the vehicle indicator.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

34. (Original) A vehicle control system according to Claim 30 wherein the at least one vehicle device comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

35. (Original) A vehicle control system according to Claim 30 wherein the at least one vehicle device comprises a vehicle alarm indicator; and wherein said controller communicates with the vehicle alarm indicator via the vehicle data communications bus.

36. (Original) A vehicle control system according to Claim 30 wherein the at least one vehicle device comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

37. (Original) A vehicle control system according to Claim 36 wherein the controllable vehicle device is associated with starting of a vehicle engine.

38. (Original) A vehicle control system according to Claim 36 wherein the controllable vehicle device is associated with vehicle door locks.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

39. (Previously presented) A vehicle control system according to Claim 30 wherein said controller is switchable to a learning mode to permit learning of a new unique biometric characteristic; and wherein said controller causes an indication that the learning mode has been entered.

40. (Original) A vehicle control system according to Claim 39 wherein said controller causes an indication when the learning mode has last been entered.

41. (Original) A vehicle control system according to Claim 39 wherein said controller causes an indication for progressively indicating a passage of time since the learning mode has last been entered.

42. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a number of learned unique biometric characteristics.

43. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a change in a number of learned unique biometric characteristics.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

44. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a change in a learned unique biometric characteristic.

45. (Original) A vehicle control system according to Claim 30 wherein said biometric sensor comprises at least one of a fingerprint sensor, a voice pattern sensor, a facial pattern sensor, a skin pattern sensor, a hand pattern sensor, a venous pattern sensor and a retinal pattern sensor.

46. (Currently Amended) A vehicle control method for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, and at least one vehicle device connected thereto, the at least one vehicle device comprising a vehicle indicator, the method comprising:

receiving signals from at least one uniquely coded transmitter at a receiver at the vehicle; and

using a controller at the vehicle spaced apart from the at least one vehicle device and cooperating with the receiver and the vehicle data communications bus for

communicating with the at least one vehicle device via the data communications bus,

switching the controller to a learning mode and learning the at least one uniquely coded

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

transmitter to permit control of a vehicle function by the user,

~~causing an indication of whether at least one new uniquely coded transmitter has been learned by causing an indication that the learning mode has been entered, and~~

communicating with the vehicle indicator via the vehicle data communications bus to cause the indication of whether at least one new uniquely coded transmitter has been learned.

47. (Canceled).

48. (Previously presented) A method according to Claim 46 wherein the vehicle indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

49. (Previously presented) A method according to Claim 46 wherein the vehicle further comprises an instrument panel carrying the vehicle indicator.

50. (original) A method according to Claim 46 wherein the at least one vehicle device comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

51. (Original) A method according to Claim 46 wherein the at least one vehicle device comprises a vehicle alarm indicator; and wherein said controller communicates with the vehicle alarm indicator via the vehicle data communications bus.

52. (Original) A method according to Claim 46 wherein the at least one vehicle device comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

53. (Canceled).

54. (Previously presented) A method according to Claim 46 wherein said controller further causes an indication of a number of learned uniquely coded transmitters.

55. (Previously presented) A method according to Claim 46 wherein said controller further causes an indication of a change in a number of learned uniquely coded transmitters.

56. (Previously presented) A method according to Claim 46 wherein said controller further causes an indication of a change in a code of at least one learned uniquely coded transmitter.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

57. (Previously presented) A vehicle control method for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, and at least one vehicle device connected thereto, the method comprising:

sensing a unique biometric characteristic of a user from a biometric characteristic sensor; and

using a controller at the vehicle spaced apart from the at least one vehicle device and cooperating with the biometric characteristic sensor and the vehicle data communications bus for

communicating with the at least one vehicle device via the data communications bus,

learning the unique biometric characteristic to permit control of a vehicle function by the user, and

causing an indication of whether at least one new unique biometric characteristic has been learned.

58. (Previously presented) A method according to Claim 57 wherein the at least one vehicle device comprises a vehicle indicator; and wherein said controller communicates with the vehicle indicator via the vehicle data communications bus to cause the indication of whether at least one new unique biometric characteristic has been learned.

In re Patent Application of:
FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

59. (Original) A method according to Claim 58 wherein the vehicle indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

60. (Original) A method according to Claim 58 wherein the vehicle further comprises an instrument panel carrying the vehicle indicator.

61. (Original) A method according to Claim 57 wherein the at least one vehicle device comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

62. (Original) A method according to Claim 57 wherein the at least one vehicle device comprises a vehicle alarm indicator; and wherein said controller communicates with the vehicle alarm indicator via the vehicle data communications bus.

63. (Original) A method according to Claim 57 wherein the at least one vehicle device comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

In re Patent Application of:

FLICK

Serial No. 10/043,077

Filing Date: JANUARY 9, 2002

64. (Previously presented) A method according to Claim 57 wherein said controller is switchable to a learning mode to permit learning of a new unique biometric characteristic; and wherein said controller causes an indication that the learning mode has been entered.

65. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a number of learned unique biometric characteristics.

66. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a change in a number of learned unique biometric characteristics.

67. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a change in a learned unique biometric characteristic.